

CARTRIDGE LINE FOR REVOLVERS

Fiocchi centerfire ammunition is designed and produced to get the best results under all circumstances. Quality and excellent performance are granted by the high technology applied to all stages of production process as well as by the skill of Fiocchi's technicians at user service.


CARTRIDGES LINE FOR REVOLVERS

This line of rimmed cartridges applies to well-know types of revolvers used either for sporting or for personal defense. To provide suitable products for all targets, Fiocchi offers twenty one different types of cartridges available in the most popular calibers.



| CODE | CARTRIDGE | Type | BULLET Mass (g) | Mass (grs) | BOXES | VELOCITY V10 ft/s | ENERGY E10 ft x lb |
|---------|-------------------|----------|-----------------|------------|---------|-------------------|--------------------|
| 71 0335 | 32 WAD CUTTER | LWC GZG | 6.48 | 100 | 50-1000 | 752 | 105 |
| 70 0390 | 38 S&W SPECIAL | FMJ | 10.24 | 158 | 50-1000 | 1092 | 351 |
| 70 0393 | 38 S&W SPECIAL | SJSP | 10.24 | 158 | 50-1000 | 1074 | 340 |
| 70 0394 | 38 S&W SPECIAL | SJSP | 8.10 | 125 | 50-1000 | 1253 | 366 |
| 70 0395 | 38 S&W SPECIAL LL | SJSP | 8.10 | 125 | 50-1000 | 1235 | 356 |
| 70 0396 | 38 S&W SPECIAL | FMJFN | 7.13 | 110 | 50-1000 | 1235 | 313 |
| 70 0397 | 38 S&W SPECIAL | SJHP | 9.59 | 148 | 50-1000 | 1146 | 362 |
| 70 0398 | 38 S&W SPECIAL LL | FMC | 10.24 | 158 | 50-1000 | 1074 | 340 |
| 71 0391 | 38 WAD CUTTER | LWC GZG | 9.59 | 148 | 50-1000 | 752 | 156 |
| 71 0396 | 38 S&W SPECIAL | LRN GZN | 10.24 | 158 | 50-1000 | 1003 | 296 |
| 70 3570 | 357 MAGNUM | SJSP | 10.24 | 158 | 50-1000 | 1468 | 635 |
| 70 3571 | 357 MAGNUM | FMJTC | 9.20 | 142 | 50-1000 | 1576 | 657 |
| 70 3573 | 357 MAGNUM | SJSP | 8.10 | 125 | 50-1000 | 1808 | 762 |
| 70 3575 | 357 MAGNUM | SJHP | 9.59 | 148 | 50-1000 | 1576 | 685 |
| 70 3576 | 357 MAGNUM | FMJFN | 7.13 | 110 | 50-1000 | 1862 | 711 |
| 71 3570 | 357 MAGNUM | LSWC GZN | 10.24 | 158 | 50-1000 | 1432 | 604 |
| 71 3575 | 357 MAGNUM | LWC GZG | 9.59 | 148 | 50-1000 | 1038 | 297 |
| 70 0445 | 44 REM. MAGNUM | SJSP | 15.55 | 240 | 50-1000 | 1558 | 1085 |
| 70 0447 | 44 REM. MAGNUM | SJHP | 12.96 | 200 | 50-1000 | 1647 | 1011 |
| 71 0445 | 44 REM. MAGNUM | LSWC GZN | 12.96 | 200 | 50-1000 | 1379 | 708 |

CARTRIDGE LINE FOR SEMI-AUTOMATIC WEAPONS




ACP
115 gr

FIOCCHI 45 HP
9 x 21IMI
123 gr

PALLA PIOMBO OGIVALE
VINCESCO LEADLESS
LEAD ROUND NOSE
LEADLESS PRIMER
123 gr GZN
GAS CHECK
ROND
IB
VAL

6,35 BROWNING
50 gr
FIOCCHI 6,35 BROWNING
BALLE BLINDEE
BALA BLINDADA

CARTRIDGE LINE FOR REVOLVERS



WARNING
KEEP OUT OF
REACH OF
CHILDREN

BLINDATA
METAL JACKET
158 gr

SPECIAL

FIOCCHI 357 MAGNUM
DEMI BLINDEE POINTE MOU
SEMIBLINDADA PUNTA BLANDA

FIOCCHI

CARTRIDGE LINE FOR SEMI-AUTOMATIC WEAPONS

Fiocchi centerfire ammunition is designed and produced to get the best results under all circumstances.

Quality and excellent performance are granted by the high technology applied to all stages of production process as well as by the skill of Fiocchi's technicians at user service.

CARTRIDGE LINE FOR SEMI-AUTOMATIC WEAPONS

It is a complete line of rimless and semirimmed cartridges, ensuring reliability, power and precision. The development of these products is focused on the achievement of equilibrium among ammunition, shooter and environment. Fiocchi has successfully met this goal with its full metalcase and leadless cartridges.



| CODE | CARTRIDGE | Type | BULLET Mass (g) | Mass (grs) | BOXES | VELOCITY V10 ft/s | ENERGIY E10 ft x lb |
|---------|--------------------|-----------|-----------------|------------|---------|-------------------|---------------------|
| 70 6350 | 6.35 BROWNING | FMJ RAM | 3.24 | 50 | 50-1000 | 806 | 60 |
| 71 6350 | 6.35 BROWNING | LRN GZN | 3.24 | 50 | 50-1000 | 788 | 58 |
| 70 7650 | 7.65 BROWNING | FMJ | 4.73 | 73 | 50-1000 | 1056 | 152 |
| 70 7654 | 7.65 BROWNING | SJHP | 3.89 | 60 | 50-1000 | 1289 | 186 |
| 70 7655 | 7.65 BROWNING LL | FMC | 4.73 | 73 | 50-1000 | 985 | 136 |
| 71 7650 | 7.65 BROWNING | LRN GZN | 4.86 | 75 | 50-1000 | 1056 | 152 |
| 70 9335 | 380 AUTO | FMJHP | 5.83 | 90 | 50-1000 | 1110 | 207 |
| 70 9340 | 380 AUTO | FMJ | 6.16 | 95 | 50-1000 | 1092 | 211 |
| 71 3830 | 380 AUTO | LRN GZN | 6.03 | 93 | 50-1000 | 1074 | 200 |
| 70 9010 | 9 LUGER | FMJTC RAM | 7.97 | 123 | 50-1000 | 1343 | 413 |
| 70 9014 | 9 LUGER LL | FMC RAM | 7.45 | 115 | 50-1000 | 1414 | 429 |
| 70 9016 | 9 LUGER SUBSONIC | FMJ | 10.24 | 158 | 50-1000 | 1074 | 200 |
| 70 9022 | 9 LUGER | FMJ RAM | 7.97 | 123 | 50-1000 | 1379 | 436 |
| 70 9023 | 9 LUGER LL | FMC RAM | 7.97 | 123 | 50-1000 | 1343 | 413 |
| 70 9025 | 9 LUGER | FMJHP | 7.45 | 115 | 50-1000 | 1432 | 440 |
| 70 9026 | 9 LUGER | FMJHP | 9.53 | 147 | 50-1000 | 1164 | 371 |
| 70 9380 | 9 LUGER | FMJ RAM | 7.45 | 115 | 50-1000 | 1468 | 462 |
| 71 9016 | 9 LUGER GAS CHK LL | LRN GZN | 7.97 | 123 | 50-1000 | 1343 | 413 |
| 70 9080 | 38 SUPER AUTO | FMJ RAM | 8.36 | 129 | 50-1000 | 1271 | 388 |
| 70 0402 | 40 S&W | FMJTC | 11.02 | 170 | 50-1000 | 1235 | 483 |
| 70 0403 | 40 S&W | FMJHP | 9.40 | 145 | 50-1000 | 1375 | 511 |
| 71 0406 | 40 S&W | LTC GZN | 11.66 | 180 | 50-1000 | 1182 | 468 |
| 70 3580 | 357 SIG | FMJTC RAM | 8.04 | 124 | 50-1000 | 1345 | 511 |
| 70 1140 | 45 ACP | FMJ | 14.90 | 230 | 50-1000 | 931 | 372 |
| 70 1145 | 45 ACP | FMJHP | 12.96 | 200 | 50-1000 | 1038 | 402 |
| 70 1146 | 45 ACP | FMJFN | 12.96 | 200 | 50-1000 | 931 | 323 |
| 71 1140 | 45 ACP | LRN GZN | 14.64 | 226 | 50-1000 | 824 | 286 |
| 70 5561 | 223 REMINGTON | FMJ | 3.6 | 55 | 50-1000 | 3215 | 1275 |

TOP TARGET AMMUNITION

**COPPER
PLATED**
HIGH THICKNESS

**LEADLESS
PRIMER**



FIOCCHI

FIOCCHI TOP TARGET LINE

Several years ago, Fiocchi developed the LEADLESS (lead-free) primer which, combined with a completely plated copper bullet, remarkably reduces the lead vapours generated by shooting. Today this technology is available, presented in the **TOP TARGET** line. The new bullets with a thick copper plating used in the **TOP TARGET** line have an undoubtedly higher precision than the lead bullets, but also combine the advantages of both jacketed and lead bullets.

**LEADLESS
PRIMER**

**COPPER
PLATED
HIGH THICKNESS**



THE MANY-SIDED ADVANTAGES OF TOP TARGET

LEADLESS PRIMER AND BULLET COMPLETELY COPPER PLATED

- ★ Limited lead vapours generated by shooting
- ★ Limited smokiness of the cartridge

BULLET PLATED WITH HIGH COPPER THICKNESS (120 µ)

- ★ Accuracy of the pattern also for weapons with polygonal barrels
- ★ Minimum barrel leading

NON JACKETED AMMUNITION

- ★ Deforming bullet
- ★ Suitable for shooting ranges where the use of jacketed bullets is not allowed

| CODE | CARTRIDGE | Type | BULLET | | BOXES | CASE | PRIMER | POWDER | VELOCITY V0 ft/s | ENERGY E0 ft x lb |
|---------|-----------------|----------|----------|------------|---------|------------------|-------------------|---------------------------------------|---------------------|----------------------|
| | | | Mass (g) | Mass (grs) | | | | | | |
| 71 3835 | 380 AUTO LL | RNCP RAM | 6.48 | 100 | 50-1000 | Brass CU/Zn30 | Boxer leadless | Smokeless double or single base | 951 | 460 |
| 71 9383 | 9 LUGER LL | RNCP RAM | 8.04 | 124 | 50-1000 | Brass CU/Zn30 | Boxer leadless | Smokeless double or single base | 1379 | 439 |
| 71 9384 | 9 x 21 IMI LL | RNCP RAM | 8.04 | 124 | 50-1000 | Brass CU/Zn30 | Boxer leadless | Smokeless double or single base | 1307 | 395 |
| 71 9385 | 9 x 21 IMI LL | TCCP RAM | 8.04 | 124 | 50-1000 | Brass CU/Zn30 | Boxer leadless | Smokeless double or single base | 1325 | 406 |
| 71 0375 | 38 S&W SPEC. LL | TCCP RAM | 10.24 | 158 | 50-1000 | Brass CU/Zn30 | Boxer leadless | Smokeless double or single base | 1003 | 296 |
| 71 3576 | 357 MAGNUM LL | TCCP RAM | 10.24 | 158 | 50-1000 | Brass CU/Zn30 | Boxer leadless | Smokeless double or single base | 1504 | 666 |
| 71 0410 | 40 S&W LL | TCCP RAM | 11.60 | 180 | 50-1000 | Brass CU/Zn30 | Boxer leadless | Smokeless double or single base | 1050 | 507 |
| 71 1113 | 45 ACP LL | RNCP RAM | 14.91 | 230 | 50-1000 | Brass CU/Zn30 | Boxer leadless | Smokeless double or single base | 853 | 412 |

RNCP: round nose copper plated TCCP: truncated cone copper plated

SPECIALTIES COLLECTABLE AMMUNITION



SPECIALTIES COLLECTABLE AMMUNITION

Fiocchi centerfire ammunition is designed and produced to get the best results under all circumstances.

Quality and excellent performance are granted by the high technology applied to all stages of production process as well as by the skill of Fiocchi's technicians at user service.

SPECIALTIES COLLECTABLE AMMUNITION

With its tradition and technology Fiocchi keeps up with the best quality, manufacturing special ammunition of high performance for historic weapons.

| CODE | CARTRIDGE | Type | Bullet Mass (g) | Mass (grs) | BOXES | VELOCITY V0 ft/s | ENERGY E0 ft x lb |
|---------|--------------------|---------|-----------------|------------|---------|------------------|-------------------|
| 70 5750 | 5.75 VELODOG | FMJ | 2.79 | 43 | 50-1000 | 859 | 59 |
| 70 3200 | 320 CORTO | FMJ | 5.31 | 82 | 50-1000 | 824 | 104 |
| 71 3200 | 320 CORTO | LRN GZN | 5.31 | 82 | 50-1000 | 788 | 95 |
| 70 3210 | 320 LUNGO | FMJ | 5.31 | 82 | 50-1000 | 895 | 122 |
| 71 3210 | 320 LUNGO | LRN GZN | 5.31 | 82 | 50-1000 | 895 | 122 |
| 70 0320 | 32 S&W CORTO | FMJ | 5.51 | 85 | 50-1000 | 788 | 98 |
| 71 0320 | 32 S&W CORTO | LRN GZN | 5.51 | 85 | 50-1000 | 788 | 98 |
| 70 7630 | 7.63 MAUSER | FMJ | 5.70 | 88 | 50-1000 | 1540 | 398 |
| 70 7670 | 7.65 PARABELLUM | FMJ | 6.03 | 93 | 50-1000 | 1307 | 296 |
| 70 7672 | 7.65 PARABELLUM | SJSP | 6.03 | 93 | 50-1000 | 1307 | 296 |
| 71 7670 | 7.65 PARABELLUM | LRN GZN | 7.13 | 110 | 50-1000 | 1235 | 313 |
| 70 0330 | 32 S&W LUNGO | FMJ | 6.29 | 97 | 50-1000 | 895 | 145 |
| 71 0330 | 32 S&W LUNGO | LRN TFL | 6.29 | 97 | 50-1000 | 967 | 169 |
| 70 7610 | 7.62 NAGANT | FMJ | 6.35 | 98 | 50-1000 | 859 | 254 |
| 70 9000 | 9X18 POLICE | FMJTC | 6.48 | 100 | 50-1000 | 1164 | 252 |
| 70 7500 | 7.5 ORD. SVIZZERA | FMJ | 6.93 | 107 | 50-1000 | 1325 | 261 |
| 70 8020 | 8 LEBEL | FMJ | 7.19 | 111 | 50-1000 | 967 | 193 |
| 70 8000 | 8 STEYR | FMJ | 7.32 | 113 | 50-1000 | 1074 | 243 |
| 70 9050 | 9 STEYR | FMJ | 7.45 | 115 | 50-1000 | 1253 | 337 |
| 70 3800 | 380 CORTO | FMJ | 8.10 | 125 | 50-1000 | 859 | 172 |
| 71 3800 | 380 CORTO | LRN GZN | 8.10 | 125 | 50-1000 | 824 | 158 |
| 70 3810 | 380 LUNGO | FMJ | 8.10 | 125 | 50-1000 | 913 | 194 |
| 71 3810 | 380 LUNGO | LRN GZN | 8.10 | 125 | 50-1000 | 877 | 179 |
| 70 8010 | 8 GASSER | FMJ | 8.17 | 126 | 50-1000 | 895 | 188 |
| 70 0380 | 38 S&W CORTO | FMJ | 9.40 | 145 | 50-1000 | 770 | 160 |
| 71 0380 | 38 S&W CORTO | LRN GZN | 9.40 | 145 | 50-1000 | 788 | 168 |
| 70 1040 | 10.4 ORD. ITALIANA | FMJ | 11.47 | 177 | 50-1000 | 895 | 264 |
| 71 4500 | 450 CORTO | LRN GZN | 14.65 | 226 | 50-1000 | 859 | 311 |
| 71 0440 | 44 S&W RUSSIAN | LRN GZN | 16.01 | 247 | 50-1000 | 895 | 369 |
| 71 4550 | 455 WEBLEY MKII | LRN GZN | 16.98 | 262 | 50-1000 | 716 | 250 |